

I hereby certify that this correspondence is being filed via
EFS-Web with the United States Patent and Trademark Office

PATENT
Attorney Docket No.: 017534-000730US

Commissioner for Patents,
P.O. Box 1450
Alexandria, VA 22313-1450

on 1/8/07

TOWNSEND and TOWNSEND and CREW LLP

By Tiffany Wu

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

PERKINS et al.

Patent No.: 7,141,046

Issued: November 28, 2006

For: METHODS, SYSTEMS, AND KITS
FOR LUNG VOLUME REDUCTION

Examiner: MANUEL MENDEZ

Technology Center/Art Unit: 3763

Confirmation No.: 7372

REQUEST FOR CERTIFICATE OF
CORRECTION UNDER §1.323

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Pursuant to 37 CFR §1.323 Applicant submits a Certificate of Correction correcting
minor error inadvertently left uncorrected by Applicant.

The desired correction is set forth on form PTO/SB/44, enclosed.

Please deduct the fee, pursuant to 37 CFR §1.20(a), of \$100.00 from deposit account 20-
1430 and any additional fees associated with this Certificate.

Respectfully submitted,

James M. Heslin
Reg. No. 29,541

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, Eighth Floor
San Francisco, California 94111-3834
Tel. (415) 576-0200
Fax (415) 576-0300
JMH/tfw
rev. 1/04
60912421 v1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,141,046
APPLICATION NO.: 10/017,068
ISSUE DATE : November 28, 2006
INVENTOR(S) : Perkins et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover Page:

At Item (75), please delete "Rodney A. Perkins" and insert -- Rodney C. Perkins --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

TOWNSEND AND TOWNSEND AND CREW LLP
Two Embarcadero Center, Eighth Floor
San Francisco, CA 94111-3834